

**Dr. Duke's Phytochemical and Ethnobotanical Databases**

**List of Plants for THYMOL**

Plant	Part	Low PPM	High PPM	StdDev	Reference
Achillea millefolium	Leaf	1.0	15.0	-0.41187649807173515	--
Acinos suaveolens	Shoot		5.0	-0.33185702146293355	Tumen, G. 1991. The Volatile Constituents of <i>Acinos suaveolens</i> (Sibt. et Smith). G. Don fil. Growing in Turkey. <i>J. Ess. Oil Res.</i> 3:191-2.
Anethum graveolens	Shoot Essent. Oil		1600.0	-0.6613738654809941	--
Apium graveolens	Seed Essent. Oil		1700.0	-0.683300111818577	--
Apium graveolens	Seed				Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Apium graveolens	Plant				--
Arnica montana	Flower				--
Artemisia herba-alba	Plant				--
Artemisia annua	Plant				Wright,C.W.(Ed)2002.Medicinal&Aromatic Plants-Industrial Profiles. <i>Artemisia</i> .344pp.Maffei,M. (Ed)2002. <i>Vetiveria</i> .The Genus <i>Vetiveria</i> .Taylor&Francis.NY,NY.1991pp.Southwell,I.,Lowe,R.(Eds)1999. <i>Tea Tree</i> .The Genus <i>Melaleuca</i> .Harwood Acad.Pub.Amsterdam,Netherlands.
Aspalathus linearis	Leaf Essent. Oil		2200.0	-1.0	--
Calamintha nepeta	Shoot		14.0	-0.3294613819990514	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of <i>Calamintha nepeta</i> subsp. <i>glandulosa</i> . <i>J. Ess. Oil Res.</i> 4:189-190
Camellia sinensis	Leaf				--
Chrysanthemum x morifolium	Flower				Wealth of India.
Chrysanthemum parthenium	Shoot				Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. Flavor and Fragrance Journal 11(6): 367-71.
Citrus sinensis	Fruit	0.0	0.1	-0.7071067811865474	--
Citrus limon	Pericarp Essent. Oil	53000.0	111000.0		Jim Duke's personal files.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Citrus reticulata	Fruit		0.1	-0.7071067811865474	--
Citrus aurantium	Leaf		1.0	-0.41949505884088445	--
Citrus limon	Leaf Essent. Oil		11000.0	1.0	Jim Duke's personal files.
Coriandrum sativum	Seed Essent. Oil		68140.0	1.4139493228546411	--
Coridothermus capitatus	Shoot		65.0	-0.31588609170371884	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Cuminum cyminum	Seed Essent. Oil		200.0	-0.730649211036064	--
Cunila origanoides	Shoot	10600.0	10640.0	2.498990278357877	--
Cunila origanoides	Essential Oil				Blaque, G. 1923. Thymol Plants. Bull. Sci. Pharmacol., 30: 201-211.
Elsholtzia polystachya	Leaf		6.6	-0.41644763453322475	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia polystachya	Essential Oil		500000.0	0.8605172376756699	Hegnauer, R. 1962-1997. Chemotaxonomie der Pflanzen, Bde 1-11. Birkhauser Verlag Basel, Boston, Berlin.
Elsholtzia polystachya	Leaf		6.6	-0.41644763453322475	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from Elsholtzia polystachya from Two Different Locations in India. Planta Medica 58: 376-379.
Elsholtzia pilosa	Shoot		85.0	-0.3105624484506473	--
Elytrigia repens	Rhizome		22.0		Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
Elytrigia repens	Plant		20.0	-0.5729487441651974	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Eucalyptus globulus</i>	Fruit Essent. Oil				--
<i>Eucalyptus bridgesiana</i>	Leaf		48.0	-0.393918461973026	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of <i>Eucalyptus bridgesiana</i> Growing in India. <i>Journal of Essential Oil Res.</i> 3: 449-450.
<i>Ginkgo biloba</i>	Wood				Kameoka, H. and Nakai, K. 1987. Components of essential oil from the root of <i>Glycyrrhiza-glabra</i> . <i>Nippon Gogeikagaku Kaishi</i> 61(9): 1119-1122.
<i>Glycyrrhiza glabra</i>	Root				--
<i>Houttuynia cordata</i>	Essential Oil				--
<i>Houttuynia cordata</i>	Shoot Essent. Oil				--
<i>Houttuynia cordata</i>	Plant				--
<i>Hyptis suaveolens</i>	Shoot		4.0	-0.33212320362558717	Mallavarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. <i>J. Ess. Oil Res.</i> 5: 321.
<i>Hyptis suaveolens</i>	Shoot		4.0	-0.33212320362558717	Mallavarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. <i>J. Ess. Oil Res.</i> 5: 321.
<i>Hyssopus officinalis</i>	Shoot	2.0	3.0	-0.33238938578824073	Indian Perfumer, 35: 52.
<i>Jateorhiza palmata</i>	Essential Oil				--
<i>Juglans nigra</i>	Essential Oil		14000.0	-1.0321274033427736	--
<i>Laurus nobilis</i>	Leaf Essent. Oil				--
<i>Lippia graveolens</i>	Leaf				--
<i>Melissa officinalis</i>	Shoot				--
<i>Melissa officinalis</i>	Plant				--
<i>Mentha longifolia</i>	Shoot	1.0	15.0	-0.3291951998363978	Fleisher, Z. and Fleisher, A. 1991. The Essential Oils from <i>Mentha longifolia</i> Growing in Sinai and Israel. <i>J. Ess. Oil Res.</i> , 3: 57.
<i>Mentha spicata</i>	Essential Oil				--
<i>Mentha x piperita</i>	Essential Oil				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Mentha pulegium	Essential Oil				--
Mentha spicata	Leaf				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Mentha pulegium	Plant				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
Micromeria fruticosa	Shoot		19.0	-0.3281304711857835	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria juliana	Leaf		180.0	-0.3220863175781895	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria fruticosa	Shoot		19.0	-0.3281304711857835	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria congesta	Leaf	35.0	40.0	-0.39827192526968275	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of Micromeria congesta. J. Ess. Oil Res., 3: 387-393.
Micromeria myrtifolia	Shoot		0.0	-0.33318793227620147	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of Micromeria myrtifolia Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Monarda media	Plant		1292.0	-0.41569677514744896	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda russeliana	Plant		1752.0	-0.3588289247165022	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda fistulosa	Plant	1.0	20850.0	2.0021758742622398	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Monarda citriodora	Leaf		3550.0	1.5118100961384702	Collins, J.E., Bishop, C.D., Deans, S.G. and Svoboda, K.P. 1994. Composition of the Essential Oil from the Leaves and Flowers of Monarda citriodora var. citriodora grown in the United Kingdom. <i>J. Ess. Oil Res.</i> 6: 27-9.
Monarda punctata	Plant	2000.0	27633.0	2.840729416595092	--
Monarda citriodora	Plant	6269.0	8337.0	0.4552467167786814	--
Monarda didyma	Plant	5.0	50.0	-0.5692399713110052	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Monarda citriodora	Flower		6175.0		Collins, J.E., Bishop, C.D., Deans, S.G. and Svoboda, K.P. 1994. Composition of the Essential Oil from the Leaves and Flowers of Monarda citriodora var. citriodora grown in the United Kingdom. <i>J. Ess. Oil Res.</i> 6: 27-9.
Nepeta cataria	Plant				Williamson, E. M. and Evans, F. J., Potter's New Cyclopaedia of Botanical Drugs and Preparations, Revised Ed., Saffron Walden, the C. W. Daniel Co., Ltd., Essex UK, 362 pp, 1988, reprint 1989.
Nepeta racemosa	Shoot		305.0	-0.25200237266685993	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
Nepeta racemosa	Shoot		305.0	-0.25200237266685993	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. <i>J. Ess. Oil Res.</i> 5: 215-7.
Nigella sativa	Seed Oil				--
Ocimum basilicum	Essential Oil				--
Ocimum gratissimum	Plant	300.0	2850.0	-0.22308783825306838	--
Ocimum basilicum	Shoot Essent. Oil		1000.0	-0.6751908682417391	--
Ocimum basilicum	Leaf		1415.0	0.34997957884319775	--
Ocimum gratissimum	Leaf		0.0	-0.42003924175296653	Charles, D.J. and Simon, J.E. 1992. A New Geraniol Chemotype of Ocimum gratissimum L. <i>J. Ess. Oil Res.</i> 4: 231-234.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Origanum onites	Shoot		85.0	-0.3105624484506473	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
Origanum sipyleum	Shoot		5.0	-0.33185702146293355	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum vulgare	Plant		0.0	-0.5754212594013255	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Shoot		6165.0	1.3078251004831116	Lagouri, V., Blekas, G., Tsimidou, M., Kokkinis, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Origanum syriacum	Shoot		385.0	-0.23070779965457378	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
Origanum vulgare	Shoot Essent. Oil	11100.0	24500.0	-0.1340249267792265	--
Origanum majorana	Essential Oil	15000.0	40000.0	-0.930874809378824	--
Origanum onites	Plant		86.0	-0.5647894438859746	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum vulgare	Plant	2.0	5000.0	0.04270754963070453	--
Origanum sipyleum	Shoot		1240.0	-0.0031220505857638974	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum vulgare	Plant		0.0	-0.5754212594013255	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Origanum syriacum</i>	Shoot		385.0	-0.23070779965457378	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
<i>Origanum sipyleum</i>	Shoot		140.0	-0.29592242950470043	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum vulgare</i>	Shoot				--
<i>Origanum vulgare</i>	Essential Oil	121200.0	500000.0	0.8605172376756699	--
<i>Origanum onites</i>	Shoot		85.0	-0.3105624484506473	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. Flav. & Frag. J. 8: 331-7.
<i>Origanum sipyleum</i>	Shoot		1240.0	-0.0031220505857638974	Baser, K.H.C., Ozek, T., Kurkcuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
<i>Origanum vulgare</i>	Plant		120.0	-0.5605861679845568	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
<i>Origanum syriacum</i>	Shoot		280.0	-0.2586569267331994	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
<i>Origanum minutiflorum</i>	Shoot	49.0	70.0	-0.314555180890451	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of <i>Origanum minutiflorum</i> O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
<i>Origanum vulgare</i>	Flower Essent. Oil				--
<i>Origanum majorana</i>	Shoot Essent. Oil		115500.0	1.9615538252670992	--
<i>Petroselinum crispum</i>	Leaf		32.0	-0.4026253885663395	Leung, A. Y. and Foster, S. 1995. Encyclopedia of Common Natural Ingredients 2nd Ed. John Wiley & Sons, New York. 649 pp.
<i>Peumus boldus</i>	Leaf	5.0	18.0	-0.41024394933548886	--
<i>Pimpinella anisum</i>	Essential Oil				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Pycnanthemum nudum	Shoot	18525.0	23348.0	5.8816332013595565	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Pycnanthemum virginianum	Shoot	66.0	377.0	-0.2328372569558024	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Rosmarinus officinalis	Shoot Essent. Oil		9000.0	-0.49096416476513904	--
Rosmarinus officinalis	Plant				--
Salvia officinalis	Essential Oil				--
Salvia canariensis	Leaf		0.1	-0.4199848234617584	Casnigueral,S., Iglesias,J., Vila,R., Virgili,A. and Ibanez,C.1994. The Essential Oil from Leaves of Salvia canariensis L. Flav. & Frag. J. 9:201-204. S. Canigueral, Facultat de Farmacia, Universitat de Barcelona, Ave.Diagonal 643,E-08028, Barcelone Spain
Salvia officinalis	Leaf				--
Satureja obovata	Leaf		7765.0	3.8055410705645	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.
Satureja thymbra	Shoot		37.0	-0.32333919225801905	Lagouri, V., Blekas, G., Tsimidou, M., Kokkini, S., and Boskou, D. 1993. Composition and Antioxidant Activity of Essential Oils from Oregano Plants Grown Wild in Greece. Z. Lebensm Unters Forsch 197: 20-23.
Satureja cilicica	Shoot		595.0	-0.17480954549732222	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.
Satureja montana	Plant	5.0	14030.0	1.1590481787425508	--
Satureja obovata	Shoot	50.0	850.0	-0.10693309402065962	Fitoterapia No.60: 277.
Satureja obovata	Leaf		2910.0	1.1635330324059294	Arrebola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of Satureja obovata. Phytochemistry 35(1): 83.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Satureja subspicata</i>	Plant		75.0	-0.5661493272658451	Stanic, G., Petricic, J., and Blazevic, N. 1991. Gas Chromatographic Investigations of Essential Oils of <i>Satureja montana</i> and <i>Satureja subspicata</i> from Yugoslavia. <i>J. Ess. Oil Res.</i> , 3: 153-158.
<i>Satureja montana</i>	Essential Oil		19700.0	-1.0099297192814463	--
<i>Satureja hortensis</i>	Plant	3.0	1600.0	-0.3776200405110759	--
<i>Satureja obovata</i>	Leaf		95.0	-0.36834186510516753	Arreola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . <i>Phytochemistry</i> 35(1): 83.
<i>Satureja obovata</i>	Leaf		95.0	-0.36834186510516753	Arreola, M.L., Navaro, M.C., Jimenez, J. and Ocana, F.A. 1994. Variations in Yield and Composition of the Essential Oil of <i>Satureja obovata</i> . <i>Phytochemistry</i> 35(1): 83.
<i>Satureja cuneifolia</i>	Shoot		45.0	-0.32120973495679045	Tumen, G. 1991. The Volatile Constituents of <i>Satureja cuneifolia</i> . <i>J. Ess. Oil Res.</i> , 3: 365-366.
<i>Satureja douglasii</i>	Plant		39.0	-0.5705998546908757	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Sideritis scardica</i>	Shoot		21.0	-0.3275981068604763	Menkovic, N., et al. 1991. The Essential Oil of <i>Sideritis scardica</i> . <i>Pl. Med. 57. Suppl. 2. pp. A137-A132.</i>
<i>Sideritis athoa</i>	Shoot		3.5	-0.3322562947069139	Ozek, T., Baser, K.H.C. and Tumen, G. 1993. The Essential Oil of <i>Sideritis athoa</i> Papanikolaou Et Kokkinii. <i>J. Ess. Oil Res.</i> 5: 669-670.
<i>Tagetes minuta</i>	Fruit Essent. Oil		3600.0		--
<i>Tanacetum parthenium</i>	Shoot				Hendriks, H., Bos, R., and Woerdenbag, H. J. 1996. The Essential Oil of <i>Tanacetum parthenium</i> (L.) Schultz-Bip. <i>Flavor and Fragrance Journal</i> 11(6): 367-71.
<i>Teucrium scorodonia</i>	Shoot				Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium oxylepis</i>	Shoot		0.27	-0.33311606309228503	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium asiaticum</i>	Shoot		0.1	-0.33316131405993615	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium pseudoscorodonia</i>	Shoot		0.34	-0.3330974303408992	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium gnaphalodes</i>	Shoot		0.5	-0.33305484119487466	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium polium</i>	Shoot		2.0	-0.3326555679508943	Perez-Alonso, M.J. Velasco-Negueruela, A. and Lopez-Saez, J.A. 1993. The Essential Oils of Two Iberian <i>Teucrium</i> Species. <i>J. Ess. Oil Res.</i> 5: 397-402.
<i>Teucrium micropodioides</i>	Leaf		32.0	-0.4026253885663395	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium divaricatum</i>	Leaf		0.0	-0.42003924175296653	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Teucrium oxylepis</i>	Shoot		0.74	-0.3329909574758379	Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium cyprium</i>	Leaf		0.0	-0.42003924175296653	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Teucrium salviastrum</i>	Shoot				Velasco-Negueruela, A. and Perez-Alonso, M.J. 1990. The Volatiles of Six <i>Teucrium</i> Species from the Iberian Peninsula and the Balearic Islands. <i>Phytochemistry</i> 29(4): 1165-9.
<i>Teucrium kotschyanum</i>	Leaf		0.0	-0.42003924175296653	Arnold, N., Bellomaria, B., Valentini G. and Rafaiani, S.M. 1991. Comparative Study on Essential Oil of Some <i>Teucrium</i> Species from Cyprus. <i>J. Ethnopharm.</i> 35: 105-113.
<i>Thymus orospedanus</i>	Plant		1278.0	-0.41742753581273867	<i>J. Nat. Prod.</i>
<i>Thymus capitatus</i>	Plant	10.0	980.0	-0.4542680128310476	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus funkii</i>	Shoot				Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> . <i>Cousson. Flav. &amp; Fragr. J.</i> 10(6): 379-383.
<i>Thymus zygis</i>	Shoot		5920.0	1.2426104706329848	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. <i>Thymus zygis</i> Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. <i>JEO5:</i> 153-8.
<i>Thymus longicaulis</i>	Shoot		16.0	-0.3289290176737442	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus riatarum</i>	Shoot		275.0	-0.2599878375464673	Iglesias, J., Vila, R., Canigueral, S., Bellakdhar, and II Idrissi, A. 1991. Analysis of the Essential Oil of <i>Thymus riatarum</i> . <i>J. Ess. Oil Res.</i> 3: 43-4.
<i>Thymus vulgaris</i>	Plant	15.0	24100.0	2.403959600133059	--
<i>Thymus mastichina</i>	Plant		190.0	-0.5519323646581084	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus vulgaris</i>	Shoot				--
<i>Thymus funkii</i>	Shoot		5.0	-0.33185702146293355	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of <i>Thymus funkii</i> . <i>Cousson. Flav. &amp; Fragr. J.</i> 10(6): 379-383.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Thymus zygis</i>	Shoot		5920.0	1.2426104706329848	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. <i>Thymus zygis</i> Oil: Its Effects on CCl <sub>4</sub> -Induced Hepatotoxicity and Free Radical Scavenger Activity. <i>JEO5</i> : 153-8.
<i>Thymus longicaulis</i>	Shoot		12.0	-0.3299937463243585	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus broussonettii</i>	Shoot		20.0	-0.3278642890231299	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Thymus serpyllum</i>	Plant	3.0	57.0	-0.5683745909783604	--
<i>Thymus longicaulis</i>	Shoot		16.0	-0.3289290176737442	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Thymus capitatus</i>	Shoot		9.0	-0.33079229281231926	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. &amp; Frag. J.</i> 8: 331-7.
<i>Thymus vulgaris</i>	Essential Oil	231000.0	600500.0	1.251897456651706	--
<i>Thymus x citriodorus</i>	Plant		50.0	-0.5692399713110052	Stahl-Biskup, E. and Holthuijen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, <i>Thymus x citriodorus</i> (Pers.) Schreb. <i>Flav. &amp; Fragr. J.</i> 10: 225-229.
<i>Thymus zygis</i>	Shoot	350.0	3550.0	0.6117587451440031	De Cunha, A.P. and Salguiero, L.R. 1991. The Chemical Polymorphism of <i>Thymus zygis</i> ssp. <i>sylvestris</i> from Central Portugal. <i>J. Ess. Oil Res.</i> 3: 409-12.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Thymus saturejoides</i>	Shoot		0.0	-0.33318793227620147	Tantaoui-Elaraki, A., Lattaoui, N., Errifi, A. and Benjlilali, B. 1993. Composition and Antimicrobial Activity of the Essential Oils of <i>Thymus broussonettii</i> , <i>T. zygis</i> and <i>T. saturejoides</i> . <i>J. Ess. Oil Res.</i> 5: 45-53.
<i>Trachyspermum ammi</i>	Fruit	13560.0	19400.0	1.4142135623730956	--
<i>Turnera diffusa</i>	Leaf				List, P.H. and Horhammer, L., Hager's Handbuch der Pharmazeutischen Praxis, Vols. 2-6, Springer-Verlag, Berlin, 1969-1979.
<i>Umbellularia californica</i>	Plant	330.0	1320.0	-0.4122352538168696	--
<i>Vaccinium corymbosum</i>	Fruit				--
<i>Valeriana officinalis</i>	Root	3.0	860.0		--
<i>Zea mays</i>	Seed Essent. Oil				--
<i>Zea mays</i>	Silk Stigma Style				Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Zea mays</i>	Seed				--